

MERITOR® HYDRAULIC BRAKE PADS FOR THE AFTERMARKET






MERITOR[®] HYDRAULIC BRAKE PADS FOR THE AFTERMARKET

Testing shows that Meritor brake pads generate more torque than our competitors, resulting in a shorter stopping distance. At the same time, our friction mix does not wear out as quickly as competitor pads.

AVERAGE PAD WEAR OVER LIFE OF TEST (mm)



DESCRIPTION OF TESTS

Test Performed According to SAE J2684

GAWR: 16,500 lbs.

Brake Size: D786 rear drive disc, right hand, rear axle

Required Inertia: 691.2 slug/ft²


Rotor Type: 23 123552 009

Test Dates: Tests completed by an independent third party between 8/3/2019 and 9/14/2019

Final Effectiveness: 60 mph–0 mph at 1,800 PSI (panic stop)

AVERAGE STOPPING DISTANCE (feet)

Shorter is Better



Final Effectiveness: Final Post third burnish effectiveness

	Meritor	Comp. A	Comp. B
Test 1	143	208	197
Test 2	135	209	191
Test 3	133	210	194
Average	137	209	194



HOW WE TESTED

You are making critical decisions for your business and deserve quality information to support these decisions. As a leader in braking solutions, Meritor strives to provide verifiable data to support confident decisions.

- These tests were performed at third-party independent test lab, and brand markings were obscured from test technician for unbiased results.
- All test samples (including Meritor branded) are purchased on the open market to support random sampling.
- An industry standard was used and the test configuration has been published for data transparency.



Meritor backing plates feature a premium mechanical retention system for enhanced bond with the friction.

Powder-coated backing plate for premium corrosion protection and brake fluid protection



Meritor® hydraulic brake pads are manufactured with Level N material to meet 2025 less than 0.5% copper by weight compliance. Select Meritor hydraulic brake friction now with no need to change friction brands later to meet Level N 2025 standard.



Meritor® aftermarket hydraulic brake pads are engineered to provide an enhanced aftermarket solution for class 5, 6 and 7 vehicle applications. As an industry leader providing original (OE) brake equipment, Meritor has a legacy of proven performance. Meritor brings expertise to an aftermarket offering of all-makes hydraulic brake pads for applications including delivery van, work truck and school bus.

SELECT PRODUCT OFFERING*				
Item	FMSI	Brake Mfg	Size	Piston Types
MMD769	769	Meritor®	64 or 70mm	Quadraulic™
MMD184	184	Bendix®	2 19/32"	Twin Piston
MMD224	224	Meritor	2 1/2"	Twin Piston
MMD225	225	Bendix®	2.88"	Twin Piston
MMD380	380	Bendix®	2 19/32"	Twin Piston
MMD786	786	Bosch®	73mm	Twin Piston
MMD786A	786A	Bosch	66mm	Twin Piston
MMD825	825	Isuzu®/GM®	54mm	Twin Piston
MMD1066	1066	TRW®	60mm	Twin Piston

*For complete hydraulic brake pad product offerings, please visit MeritorPartsXpress.com.

You Deserve Complete Support

From warranty support to comprehensive product information to unsurpassed customer care, Meritor delivers. For complete Meritor® aftermarket parts information, catalogs, competitive parts cross-references, 360° component images and rich product content, including exact part specifications, line drawings and stock availability, visit MeritorPartsXpress.com. Meritor hydraulic brake pads are covered by our complete 1-year warranty. Meritor's industry-leading Customer Care team provides an all-purpose, one-call solution for customer satisfaction. For more information, call our U.S. Customer Care Center at 888-725-9355. In Canada, call 800-387-3889. Or simply visit MeritorPartsXpress.com.





Vehicle models, trademarks, brands, and names depicted herein are the property of their respective owners, and may not be associated with Meritor, Inc. or its affiliates.



Meritor Heavy Vehicle Systems, LLC
7975 Dixie Highway
Florence, Kentucky 41042 USA

888-725-9355 US
800-387-3899 Canada
MeritorPartsXpress.com
meritor.com

©2020 Meritor, Inc.
Litho in USA, SP-2057
Issued 08-20 (82099)