WESTRANS

COMMITTED SERVICE FOR OVER 57 YEARS

*lew*FALL FLYER NEW PRICE

Prices in effect: October 1st to November 30th 2024

CUSTOMER FAVORITES TESTED & TRUSTED



OMEGAL/FT

1-1/2 Ton Low Pro Trans Jack

PN 43000

- Capacity: 3000 lbs/ 1.5 TonMin H: 7-7/8in
- Max H: 37-1/4in
- · Power Raise: 29-3/8in







- 1" and 2.5" Adapters Standard
- A choice of three handle angles:

- 90° for space saving storage
 45° for easy carrying movement
 0° for access to lifting point





• Handles 14" and 15-1/2" clutch assembly







Min H: 4"; Max H: 21"

20Ton Wide Truck Ramps

- Gross Weight: 83.7 Lbs
- Low profile service jack
- · Foam handle cover
- Dual fast action pump pistonU-Joint assembly for precise load control









www.westrans.com

Winnipeg, MB

PN 93201

515 Oak point Highway Phone: 204-633-9272 Toll Free: 1-800-463-6461

Regina, SK 559 McDonald Street Phone: 306-721-7211 Toll Free: 1-800-667-7211







PARKING HEATER PROUCTS

Offers a full range of diesel-fired air and coolant (water) heater products for all types of vehicles and installations. From long-haul trucks to boats and RV's we've got your heating needs covered.





WE DO CUSTOM FAN HUB REBUILDS

- Kit Masters Gold Top fan Clutches generate over 5,000 lb-ft of torque to handle nearly all fan blades on the market without slipping, preventing unwanted heat that damages seals and bearings.
- Less time to install. Low cost. 300,000 mile / 3 year warranty.
- Higher quality internal components.

...And More

Ask about our same day service

Ingine overheati

A fan clutch that is not engaging could be the problem.



Diesel Air Heater Gen3, 2KW, 12V

PN PH21A-A

- 2kW Air Heater
- Operating Switch & Mounting Bracket
 Heater Mounting Plate & Seal
 Wiring Harness (made in canada)
 Flexible Stainless Steel Exhaust
 Combustion Air Intake Tube & Cap

- Hot Air Ducting Hose

...And More





Coolant Heater, Gen2, 5KW, 12V PN PH52W-A

- 5 kW Coolant HeaterWiring Harness7 Day Programmable TimerFuel Pickup Pipe Assembly
- Combustion Inlet Hose 20mm x 1m Fuel System Hardware Bag
- Exhaust Pipe Flexible Double Layer with End Cap 24mm x 1m

...and more

Diesel Air Heater Gen3, 4KW, 12V

- · 4kW Air Heater Operating Switch & Mounting Bracket
 Heater Mounting Plate & Seal
 Wiring Harness (Made in Canada)
 Flovible Stripless Challenter

- Flexible Stainless Steel Exhaust
- · Combustion Air Intake Tube & Cap
- Hot Air Ducting Hose
- · Air Outlet Adjustable Vent

...and more





Maintenance Kit AT2000S Long PN W20A-T801

- · Maintenance Kit-AT2000S, Long
- 12VDC
- Webasto

- Webasto Heater Air Top 2000
- Webasto Heater Air Top 2000S



Diesel Coolant Heater, 5KW, 12V PN PH51W-A7



- 5 kW Coolant Heater
- Wiring Harness7 Day Programmable Timer
- Fuel Pickup Pipe Assembly
 Combustion Inlet Hose 20mm x 1m
- Fuel System Hardware Baq
- Exhaust Pipe Flexible Double Layer with End Cap 24mm x 1m
- Hardware Kit



Diesel Coolant Heater, 5KW, 24V PN PH51W-B7





Fuel Fired Heaters





AutoUnleaded Nozzle 3/4 IN NPT PN 110121-8



115 Volts, 12Gpm **Fuel Transfer Pump** PN 110000-81

HP-100-UL Hand Pump

9695

PN 114000-10

Meter M30-L8N M30 Series Mechanical PN 165100-02

0000

Manual Unlead Nozzle **3/4 IN NPT**

PN 110155-1











Cotter Pin Large Assortment PN 10103





Cotter Pin Assortment PN 10102





· Low Profile Oil Drain - 64L C/W 12V DC **Battery Pump and Casters**



- 3" Diameter wheels with gripping tires glide smoothly over shop floors.

 • Capacity: 400 LBS.

 • Ground Clearance: 1.25".

Bone Creeper

- Weight: 13 LBS.
 Item Dimensions: 43" L x 24" W x 5.25" H

Air Brake Fitting Kit





Fairview

Air Brake Push to Connect Kit PN ABFR-KIT-1-PC



Fairview

Black 4.5 Gal **Oval Drain Pan** PN 17972





Great Deals

Winch Strap W/ Flat Hook PN 43795-10-30 4"x30"

\$1695 Reg 22.54



20' Series E Ratchet Strap PN 48672-15



1"x16' Mini Ratchet Strap PN 43887-10

\$1195 Reg 15.17



2"x30' Ratchet Buckle Strap PN 45982-43

\$19⁹⁵ Reg 27.18



15'x1' Ratchet Tie Down 4PK PN SL91

18"x18" Red Flag PN 49893-12

W/ Grommets



Web Winder PN 45801-10



Magnetic Flag Holder

\$739 \$7_{Reg 9,45}

18"x18" Safety Flag



W/ Dowel

12"x96" Canadian D Sign PN 49895-10

\$26⁹⁹

18"x84" Wide **Oversized Load** PN 49894-11

5/16" Lever Chain Load Binder PN 45943-10



Cobra Winch Bar PN 50796-20



WIDE LOAD

Storable Sliding Web Winches PN 43565-127-RW

\$59⁹⁵ Reg 73.15



3/8" Lever Chain Load Binder PN 45943-11



| <u> </u> | HOI |
|----------|-----|
| | |
| CTURE | |

PRODUCT PART # NOW PIC 5/16" x 25' Grade 70 Chain s89.95 45881-10-25T s89.95 3/8" x 20' Grade 70 Chain 45881-11-20T s119.95 3/8"x 25' Grade 70 Chain 45881-11-25T s219.95 1/2 x 25 Transport Chain 45881-13-25T

IF IT WEARS THE ANCRA NAME. IT CAN BE TRUSTED.

STRAPS AND HIGH-PERFORMANCE WINCHES, TIE DOWNS, AND CHAIN ASSEMBLIES ARE ENGINEERED TO MEET THE CHALLENGES OF TODAY'S HIGHWAYS.

EXPLORE WITH WESTRANS

PN 50500-S-11-245

• Single 8mm Side & Cross Chain V-Bar Tire Chain 11" - 22.5" Tire Size

• Single 8mm Side & Cross Chain V-Bar Tire Chain 11" - 24.5" Tire Size

• Triple 7mm Twisted Link \$27 Tire Chain 11" - 22.5" Tire Size

PN 50503-T-11-245

\$28995 Triple 7mm Twisted Link Tire Chain 11" - 24.5" Tire Size

TIRE CHAIN SINGLE & TRIPLE



4x6 LED Low/High Beam Heated PN 64J61-5 / 64J71-5



4x6 LED Head Lamp-Low/High Beam PN 94421-5 / 94411-5



Round Work Lamp PN BZ101-5 / BZ111-5





- · Value priced to meet your budget
- Rugged, durable construction
- LED power that far outshines halogen
- Sheds light on any use, even tow trucks, garbage trucks and forklifts without breaking the bank



1600 Lumen

Square Work Lamp PN BZ201-5

1100 Lumen



Led Seal Beam 5"x7" PN 90951-5

9-32V




Wireless Trailer PN TI



LED Magnetic Warning Lamp PN 79202-5 | 79203-5





- Bracket not included
- · Recommended for off-road or stationary use only
- Flashing or steady-on operation
- Mounting Type: MagneticMaterial: Polycarbonate
- Connection Type: 4 x AA Batteries (Not Included)
- Operating Temperature: -40°C to +55°C

Panther Headlight Aimer System
PN OPT-5405

Lights Kit



Functions

- **Auto-off Function**
- Turn, Reverse, & Stop Funcitionality
 LED License Plate Light
- LED Tail Light
- Flashlight Funciton

Features

- Radio Frequency Wireless Transmitter
 5000mAh Battery
 10-30V Voltage
 Built-in Battery Life Display

- Vertical & Horizontal Mounting

One-Step Headlight Restoration PN DC-DTR241





3 oz / 85 g









MODEL # OPT-5550 Laser guided floor slope measurement system

Designed to work with all kinds of headlamps in cars, trucks and busses including Xenon, LED and HID - meet the needs of fleet maintenance operations, Collision, Auto & Truck repair shops easily and accurately with the Panther OPT-5405 optical headlight aimer.



Truck Bed Coating PN 390622

Professional-Grade Rubberized Truck Bed Coating, 680 g, Aerosol Can, Black




Gloss White Paint PN 352466

- The speed and quality of professional spray equipment without the hassle
 Applies easily and dries fast to a tough, attractive finish
- Superior coverage, colour and gloss retention

Gloss Black Paint PN 352467







Foaming Coil Cleaner PN 1752305





- Dissolves grease, oil and sludge form air conditioning and refrigeration coils
 Water based
 Industrial strength, low odour formula
 Requires no rinsing
- Works on:
- AC Units | Blower Wheel | Fan Blades | Refrigeration Condensers



THE NEW STANDARD **IN AXLE FASTENERS**


Zip-Tora® is the latest STEMCO innovation designed to make the roadways safer. With its robust single piece design, Zip-Torq takes the guess work out of bearing adjustment.

QWIKTIE TIE ROD ASSEMBLY

| QWIKTIE PART NUMBER | TIE ROD END INDUSTRY STD. REFERENCE NUMBER | AXLE CODE | KING PIN |
|------------------------|---|------------------|----------|
| QT967SS | ES3219L, ES3220R | FF-961, FF-966 | K961L |
| | ES423L, ES423R | FF-981, FF-986 | K981R |
| | ES9001L, ES9001R | 02-ADD | K120I |
| QT108SB | ES431L, ES431R | FL-931, FL-941 | KH931L |
| | ES9328L, ES9329R | E1462I/W | K147E |
| | ES431L, ES431R | EFA18F3, EFA20F4 | K180E |

LATATALY OSTETISCOM





\$499⁹⁵ Reg 651.82

Increased range adjusts to fit over 80% of tie rod assembly lengths in the market 57 3/8″ tp 73 7/8″)





PN 80-1291

• 48 pieces, 6 1/2" x 10 1/2"



Cable Assembly-Light Duty

PN 19-6710



Coiled Air Grip

PN 12-600



Electric/Air 3-in-1 12Ft Value

PN 92300-144



Electric/Air 3-in-1 15Ft Value

PN 92300-180



Pogo Stick PN 17-0401







Air Brake Coil Heavy Duty 20Ft



PN 17-180





X-Tend Tracker **Bar Extension**

PN 17-3500 (3/4") | 17-3501 (1")

PREVENT CABLES FROM BANGING AGAINST THE BACK OF THE CAB.







HAVING ANY DRIVELINE PROBLEMS? **SEE WESTRANS FIRST!**

High Quality | Quick Turn around | Professional Expertise

KEEPS YOU ROLLIN'!

©204.633.9272




KEEPS YOU ROLLIN'!

Heat Shield Clamp SS Peterbilt

PN 562.U75166027SS

- · 409SS • 5in Pipe



Heat Shield Mtg Bracket Kenworth PN 562.U591030Z

- Flat Mounted Standoff Clamp
- 5in PipeZinc Coated





Mounting Bracket 5in LH/RH Kenworth PN 562.U591011L / 562.U591011R **288**











Universal Tractor Fluid PN KL-HF8080





KLONDIKE Universal Tractor Fluid is a specialized, advanced fluid designed and recommended for use in all kinds of farm equipment, off-highway machinery, and industrial tractors.

AW 22 Advanced Formula PN KL-HF0080

KLONDIKE Professional Formula Anti-Wear Hydraulic Fluid is designed for use as a hydraulic power transfer fluid where vane, piston, and gear pumps are utilized.

May also be used as multi-purpose shop lubricant in applications such as lightly loaded air compressors, and as an air-line lubricant.





AW 32 Professional PN KL-HF0280

U-Joint

Tube Yoke

Center Bearing

Midship Shaft

End Yoke

U-Joint

De Yol

Tube Yoke

WESTRANS ONLINE STORE **COMING SOON!**



40CH CB Mobile Compact



Professional CB Radio, Full 40 Channels, LCD Display

- 4 WATT POWER OUTPUT Giving you the best range of communication with the maximum power allowed by law. If you consider yourself a professional driver, this is the CB for you.
 INSTANT CHANNEL 9 AND 19 Immediate access to Emergency





UAL-MODE AM/FM

40CH CB Mobile Radio PN 29LTDFM







Professional CB Radio with AM/FM

The Cobra 29 LTD Classic CB radio has been the standard of excellence in professional CB radios for over 50 years. Durable, reliable, and full-featured, you'll get clear CB communication on the road with 4 Watts of power, 40 channels, and new dual-mode AM/FM functionality. The 29 LTD Classic, 29 LTD Pink, and 29 LTD Chrome CB radios are the perfect solution for keeping in touch with friends, family, and teammates whether you're using it for work or for recreation.

fogit





Odor Remover PN A200PRO



Fogit's active ingredient is CLO2 which works by creating a chemical reaction which releases an invisible "vapor" that attacks and destroys the odor causing molecules

Cold Weather Cable Ties

PN ICE-780C

7.5" 80lbs

PN ICE-1180C


11" 80lbs

PN ICE-1480C

14" 80lbs

PN ICE-14160C

14" 160lbs



- Cold Weather Performance
- Excellent Sunlight/UV Resistance
 Higher Tensile Strength
 Distinctive "ICE BLUE" Colour

- Arctic Ties are rated at -40°C / -40°F per ISO180

JOIN OUR MAILING LIST



Keep up with all of the latest Westrans news including new product releases and specials. Visit www.westrans.com to sign up!

While Westrans takes great care to ensure its advertising is accurate, errors or inaccuracies may occur. Westrans may correct errors or inaccuracies, and change or update information on this flyer or its website at any time without notice, including changing the prices or availability of items. Some items may not be stocked in all stores. Westrans reserves the right to limit quantities. Freight expenses may apply. Taxes and enviro fees are extra. Some conditions apply on warranty offers; see warranty documents for details. Prices in effect at both Westrans Winnipeg, MB branch and Westrans Regina, SK branch,

Winnipeg, MB 515 Oak point Highway Phone: 204-633-9272 Toll Free: 1-800-463-6461

Regina, SK 559 McDonald Street Phone: 306-721-7211 Toll Free: 1-800-667-7211















WWW.WESTRANS.COM